CLEVELAND

VERTICAL CNC BED MILL MODEL: BM600H

MACHINE FEATURES:

- Centroid M400 control with 15" LCD
- 15 HP spindle motor, CAT40 spindle taper
- 8,000 rpm spindle speed
- Hardened & ground with Turcite-B coating guide way
- Double nut precision ball screws hardened & ground for high accuracy and long lasting
- FC30 Meehanite casting main frame with annealed & stress relieved for long term reliability
- 100% Laser tested for positioning accuracy & repeatability
- Box ways design on Y & Z axis to provide maximum rigidity & stability
- Standard way covers on all three axes
- Tool box & tools
- Coolant system
- Central lubrication system
- Built-in Quartz work light
- Portable hand wheel (opt)
- AUTOMATIC TOOL CHANGER (opt.)
- FULL ENCLOSURE (opt.)



Specification

oposition and the second and the sec		
	Table:	
	Longitudinal travel:	
	Cross travel:	
	Vertical travel:	23.6" (600 mm)
	Spindle nose to table top (D):	4.7" to 28.3" (120-720 mm)
	Load capacity:	2200 lbs (1000 kgs)
	Spindle taper:	BT40 or CAT40
	Spindle speed:	60 to 8000 rpm
	Transmission of spindle & motor:	Belts
	Spindle center to column front surface:	25.5" (650 mm)
	T slot:	
Feed Rate		
	Rapid feed rate:	X/Y/Z: 250 ipm
	AC Cutting feed rate:	
Motor	3	•
	Spindle motor/max torque:	15 HP / 10 kW
	Feed motors on XYZ:	2 kW - AC Servo
	Coolant pump:	
	Lubrication pump:	
	Power requirement:	
Automatic Tool Changer		
	No. of tools: ·····	OPT
	Max tool diameter:	
	Max tool weight:	15 lbs (7 kgs)
Dimension & Weight		
	Length x Width x Height:	175" x 102.7" x 110.5"
	Net weight:	9460 lbs (4300 kgs)
		2 . 2 2

Standard Accessories

Tools & box Leveling bolts & plate RS-232 interface Operation manual 15" color LCD Splash guard

Auto lube system Halogen work light 120 GB solid state hard drive

USB 2.0 port Coolant system Shop floor programming/Conversational

Optional Machine Accessories

CK-105 52pcs Clamping Kit
CP-MIST Mist Coolant System

16ATC 16 T magazine - Umbrella with Software

ENCLOSURE Full Enclosure
SEMI-ENCLOU Semi Enclosure
CHIP Chip Auger

C40RK-45 Retention Knob Cat40, 45degree 20pcs

TG-CNC Table Guard

TRAN-17KVA Transformer: 28KVA (440~480V)

Riser Block 10" riser block for Engine block job shop VISE-6 6" Angle Vise W/ Swivel Base (Import)

Optional Software Accessories

10620 Compression tapping

10610 User definable Macros and sub programs [M98 & G65]

10851 Cutter compensation 10360 4th axis software

10630 Unlimited part program size

10730 Intercon off-line conversational program (for your desktop PC)

10810 Rigid tapping [G74 & G 84] (includes 10620)

10850 Coordinate system rotation (CSR) 10625 Scaling and mirroring [G50 & G51] 10814 DXF in, CAD drawing input software

10660 BCD tool change output 10740 Engraving software

Digitizing & Probing

10405 DP-4 probing package w/ CSR (10850) 12486 DP-7 probing package w/ CSR (10850) 10770 2D & 3D digitizing software (requires 10405)

10220 TT-1; Tool touch off kit 12468 TT-2; Tool touch off kit

10772 Tool room package (10405 & 10220 & 10600 work coordinate)

Manual Pulse Generators (MPG)
11069 100 Step MPG

Additional Accessories Information

Type of oil for way oil / oil chiller / pneumatic oil: Mobil Vectra #2/ Shell Tellus 32/ Air tool oil

Coolant capacity: 16 Gallons

CLEVELAND MACHINERY SALES INC.

5000 BROOKPARK ROAD CLEVELAND, OHIO 44134

WEBSITE: www.clevelandmachinery.com EMAIL: sales@clevelandmachinery.com

PHONE: 216-741-8900

FAX: 216-741-8995

^{**} WE RESERVE THE RIGHT TO CHANGE DESIGN, COLOR, SPECIFICATIONS, OR PRICE WITHOUT NOTICE **